



RNA SERİSİ

RULMAN NO	BOYUTLAR (mm)			YÜK SAYISI (KN)		DEVİR - HIZ SINIRI (Devir/Dak.)	AĞIRLIK (Kg)
	Fw	D	C	Dinamik	Statik		
RNA 4900	14	22	13	8,60	9,20	21.000	0,0165
RNA 4901	16	24	13	9,60	10,90	19.000	0,0174
RNA 4902	20	28	13	10,30	12,80	17.000	0,0217
RNA 4903	22	30	13	11,20	14,60	16.000	0,0222
RNA 4904	25	37	17	21,10	25,10	13.000	0,0523
RNA 49/22	28	39	17	23,10	29,10	11.500	0,0502
RNA 4905	30	42	17	24,00	31,20	11.000	0,0610
RNA 49/28	32	45	17	24,80	33,20	11.000	0,0732
RNA 4906	35	47	17	25,00	35,50	10.500	0,0694
RNA 49/32	40	52	20	30,50	47,50	9.500	0,0891
RNA 4907	42	55	20	31,50	50,00	9.500	0,1070
RNA 4908	47	62	22	43,00	67,00	8.500	0,1400
RNA 4909	50	68	22	45,90	72,90	7.500	0,1820
RNA 4910	55	72	22	48,10	80,00	6.500	0,1630
RNA 4911	60	80	25	58,50	99,00	5.600	0,2550
RNA 4912	68	85	25	61,20	107,60	5.200	0,2750
RNA 4913	70	90	25	62,30	112,10	5.200	0,3120
RNA 4914	80	100	30	83,90	151,40	4.400	0,4600
RNA 4915	85	105	30	86,00	162,00	4.400	0,4890
RNA 4916	90	110	30	89,00	169,60	4.400	0,5160
RNA 4917	100	120	35	113,30	233,70	3.500	0,6570




RNA SERİSİ

RULMAN NO	BOYUTLAR (mm)			YÜK SAYISI (KN)		DEVİR - HIZ SINIRI (Devir/Dak.)	AĞIRLIK (Kg)
	Fw	D	C	Dinamik	Statik		
RNA 6901	16	24	22	16,20	21,60	19.000	0,0310
RNA 6902	20	28	23	17,60	25,30	17.000	0,0397
RNA 6903	22	30	23	18,90	28,80	16.000	0,0424
RNA 6904	25	37	30	35,20	48,40	13.000	0,1000
RNA 69/22	28	39	30	38,50	56,20	11.500	0,0980
RNA 6905	30	42	30	40,00	60,20	11.000	0,1120
RNA 69/28	32	45	30	41,50	64,20	11.000	0,1350
RNA 6906	35	47	30	43,50	71,00	10.500	0,1260
RNA 69/32	40	52	36	47,00	82,00	9.500	0,1620
RNA 6907	42	55	36	48,00	86,00	9.500	0,1930
RNA 6908	47	62	40	66,00	116,00	8.500	0,2560
RNA 6909	50	68	40	69,00	127,00	7.500	0,3380
RNA 6910	55	72	40	73,00	139,00	6.500	0,3100
RNA 6911	60	80	45	90,00	176,00	5.600	0,4700
RNA 6912	68	85	45	94,00	191,00	5.200	0,4880
RNA 6913	70	90	45	95,00	198,00	5.200	0,5800
RNA 6914	80	100	54	128,00	265,00	4.400	0,8570
RNA 6915	85	105	54	130,00	275,00	4.400	0,9350
RNA 6916	90	110	54	135,00	300,00	4.400	0,9870
RNA 6917	100	120	63	166,00	400,00	3.500	1,2000




NA SERİSİ

RULMAN NO	BOYUTLAR (mm)				YÜK SAYISI (KN)		DEVİR - HIZ SINIRI (Devir/Dak.)	AĞIRLIK (Kg)
	d	F	D	C	Dinamik	Statik		
NA 4900	10	14	22	13	6,80	7,30	20.000	0,0230
NA 4901	12	16	24	13	7,50	8,70	18.500	0,0260
NA 4902	15	20	28	13	8,50	10,90	17.000	0,0340
NA 4903	17	22	30	13	8,80	11,70	16.000	0,0370
NA 4904	20	25	37	17	17,00	20,40	14.000	0,0752
NA 49/22	22	28	39	17	18,30	23,60	12.000	0,0800
NA 4905	25	30	42	17	23,00	32,00	11.000	0,0880
NA 49/28	28	32	45	17	24,00	34,00	11.000	0,0977
NA 4906	30	35	47	17	25,50	36,50	10.500	0,1010
NA 49/32	32	40	52	20	30,50	48,00	8.800	0,1580
NA 4907	35	42	55	20	32,00	50,00	8.800	0,1700
NA 4908	40	48	62	22	36,80	69,00	7.200	0,2300
NA 4909	45	52	68	22	45,00	75,00	6.800	0,2710
NA 4910	50	58	72	22	50,00	80,00	6.400	0,2740
NA 4911	55	63	80	25	55,00	100,00	5.600	0,3930
NA 4912	60	68	85	25	64,00	110,00	5.200	0,4260
NA 4913	65	72	90	25	65,00	125,00	5.200	0,4560
NA 4914	70	80	100	30	85,00	160,00	4.400	0,7280
NA 4915	75	85	105	30	89,00	165,00	4.400	0,7750
NA 4916	80	90	110	30	90,00	175,00	4.000	0,8780
NA 4917	85	100	120	35	121,00	280,00	3.700	1,2500
NA 4918	90	105	125	35	125,00	260,00	3.500	1,3120




NA SERİSİ

RULMAN NO	BOYUTLAR (mm)				YÜK SAYISI (KN)		DEVİR - HIZ SINIRI (Devir/Dak.)	AĞIRLIK (Kg)
	d	F	D	C	Dinamik	Statik		
NA 6901	12	16	24	22	13,00	17,30	18.500	0,0460
NA 6902	15	20	28	23	13,90	20,40	17.000	0,0636
NA 6903	17	22	30	23	14,90	23,20	16.000	0,0720
NA 6904	22	25	37	30	28,80	41,00	14.000	0,1401
NA 69/22	22	28	39	30	30,00	44,00	12.000	0,1500
NA 6905	25	30	42	30	39,00	59,00	11.000	0,1610
NA 69/28	28	32	45	30	40,50	63,00	11.000	0,1820
NA 6906	30	35	47	30	44,00	71,50	10.500	0,1920
NA 69/32	32	40	52	36	47,00	82,00	8.800	0,2880
NA 6907	35	42	55	36	48,00	86,00	8.800	0,3100
NA 6908	40	48	62	40	61,70	100,00	7.200	0,4300
NA 6909	45	52	68	40	70,00	128,00	6.800	0,4950
NA 6910	50	58	72	40	75,00	140,00	6.400	0,5150
NA 6911	55	63	80	45	85,00	175,00	5.600	0,7800
NA 6912	60	68	85	45	95,00	195,00	5.200	0,8080
NA 6913	65	72	90	45	98,00	200,00	5.200	0,8330
NA 6914	70	80	100	54	130,00	270,00	4.400	1,3400
NA 6915	75	85	105	54	135,00	280,00	4.400	1,4500
NA 6916	80	90	110	54	140,00	300,00	4.000	1,5220
NA 6917	85	100	120	63	170,00	400,00	3.700	2,2000
NA 6918	90	105	125	63	180,00	435,00	3.500	2,3100




RNA SERİSİ

RULMAN NO	BOYUTLAR (mm)			YÜK SAYISI (KN)		DEVİR - HIZ SINIRI (Devir/Dak.)	AĞIRLIK (Kg)	RULMAN NO (Burçsuz)	BURÇ NO
	Fw	D	C	Dinamik	Statik				
NK 05/10	5	10	10	2,10	1,60	35.000	0,0033	-	-
NK 05/12	5	10	12	2,80	2,30	35.000	0,0040	-	-
NK 06/10	6	12	10	2,40	1,90	32.000	0,0051	-	-
NK 06/12	6	12	12	3,10	2,80	32.000	0,0062	-	-
NK 07/10	7	14	10	2,60	2,30	30.000	0,0073	-	-
NK 07/12	7	14	12	3,40	3,20	30.000	0,0088	-	-
NK 08/12	8	15	12	3,70	3,70	28.000	0,0096	NKI 05/12	IR 05 X 08 X 12
NK 08/16	8	15	16	4,90	5,30	28.000	0,0128	NKI 05/16	IR 05 X 08 X 16
NK 09/12	9	16	12	4,20	4,50	27.000	0,0104	NKI 06/12	IR 06 X 09 X 12
NK 09/16	9	16	16	5,60	6,50	27.000	0,0139	NKI 06/16	IR 06 X 09 X 16
NK 10/12	10	17	12	4,40	4,90	25.000	0,0112	NKI 07/12	IR 07 X 10 X 12
NK 10/16	10	17	16	5,90	7,20	25.000	0,0151	NKI 07/16	IR 07 X 10 X 16
NK 12/12	12	19	12	6,50	7,10	23.000	0,0124	NKI 19/12	IR 09 X 12 X 12
NK 12/16	12	19	16	9,10	11,00	23.000	0,0163	NKI 19/16	IR 09 X 12 X 16
NK 14/16	14	22	16	11,00	12,50	21.000	0,0209	NKI 10/16	IR 10 X 14 X 16
NK 14/20	14	22	20	13,90	17,00	21.000	0,0262	NKI 10/20	IR 10 X 14 X 20
NK 15/16	15	23	16	10,90	12,70	20.000	0,0218	-	-
NK 15/20	15	23	20	13,80	17,20	20.000	0,0272	-	-
NK 16/16	16	24	16	11,50	13,90	19.000	0,0230	NKI 12/16	IR 12 X 16 X 16
NK 16/20	16	24	20	14,60	18,80	19.000	0,0286	NKI 12/20	IR 12 X16 X 20
NK 17/16	17	25	16	12,10	15,00	19.000	0,0242	-	-
NK17/20	17	25	20	15,40	20,40	19.000	0,0302	-	-
NK 18/16	18	26	16	12,70	16,20	18.000	0,0254	-	-
NK 18/20	18	26	20	16,10	22,00	18.000	0,0317	-	-
NK 19/16	19	27	16	13,00	17,40	18.000	0,0266	NKI 15/16	IR 15 X 19 X 16
NK 19/20	19	27	20	16,80	23,60	18.000	0,0332	NKI 15/20	IR 15 X 19 X 2*
NK 20/16	20	28	16	13,20	17,50	17.000	0,0274	-	-
NK 20/20	20	28	20	16,70	23,80	17.000	0,0343	-	-
NK 21/16	21	29	16	13,70	18,70	17.000	0,0286	NKI 17/16	IR 17 X 21 X 16
NK 21/20	21	29	20	17,40	25,40	17.000	0,0359	NKI 17/20	IR 17 X 21 X 20
NK 22/16	22	30	16	14,20	19,90	16.000	0,0299	-	-
NK 22/20	22	30	20	18,00	27,00	16.000	0,0374	-	-
NK 24/16	24	32	16	15,20	22,30	14.000	0,0323	NKI 20/16	IR 20 X 24 X 16
NK 24/20	24	32	20	19,30	30,30	14.000	0,0404	NKI 20/20	IR 20 X 24 X 20
NK 25/16	25	33	16	15,10	22,40	14.000	0,0332	-	-
NK 25/20	25	33	20	19,20	30,40	14.000	0,0414	-	-
NK 26/16	26	34	16	15,60	23,60	13.000	0,0344	NKI 22/16	IR 22 X 26 X 16
NK 26/20	26	34	20	19,80	32,00	13.000	0,0429	NKI 22/20	IR 22 X 26 X 20
NK 28/20	28	37	20	22,30	33,90	12.000	0,0516	-	-
NK 28/30	28	37	30	33,80	57,70	12.000	0,0777	-	-
NK 29/20	29	38	20	22,20	34,00	11.500	0,0527	NKI 25/20	IR 25 X 29 X 20
NK 29/30	29	38	30	33,60	57,90	11.500	0,0794	NKI 25/30	IR 25 X 29 X 30
NK 30/20	30	40	20	22,90	35,80	11.500	0,0642	-	-
NK 30/30	30	40	30	34,7	61,00	11.500	0,0966	-	-




NKI SERİSİ

RULMAN NO	BOYUTLAR (mm)				YÜK SAYISI (KN)		DEVİR - HIZ SINIRI (Devir/Dak.)	AĞIRLIK (Kg)	RULMAN NO (Burçsuz)	BURÇ NO
	d	Fw	D	C	Dinamik	Statik				
NKI 05/12	5	8	15	12	3,70	3,70	26.000	0,0115	NK 08/12	IR 05 X 08 X 12
NKI 05/16	5	8	15	16	4,90	5,30	26.000	0,0155	NK 08/16	IR 05 X 08 X 16
NKI 06/12	6	9	16	12	4,20	4,50	25.000	0,0135	NK 09/12	IR 06 X 09 X 12
NKI 06/16	6	9	16	16	5,60	6,50	25.000	0,0175	NK 09/16	IR 06 X 09 X 16
NKI 07/12	7	10	17	12	4,40	4,90	23.000	0,0138	NK 10/12	IR 07 X 09 X 12
NKI 07/16	7	10	17	16	5,90	7,20	23.000	0,0185	NK 10/16	IR 07 X 10 X 16
NKI 10/16	10	14	22	16	11,00	12,50	20.000	0,0295	NK 14/16	IR 10 X 14 X 16
NKI 10/20	10	14	22	20	13,90	17,00	20.000	0,0371	NK 14/20	IR 10 X 14 X 20
NKI 12/16	12	16	24	16	11,50	13,90	18.500	0,0335	NK 16/16	IR 12 X 16 X 16
NKI 12/20	12	16	24	20	14,60	18,80	18.500	0,0420	NK 16/20	IR 12 X 16 X 20
NKI 15/16	15	19	27	16	13,30	17,40	18.000	0,0390	NK 19/16	IR 15 X 19 X 16
NKI 15/20	15	19	27	20	16,80	23,60	18.000	0,0488	NK 19/20	IR 15 X 19 X 20
NKI 17/16	17	21	29	16	13,70	18,70	17.000	0,0425	NK 21/16	IR 17 X 21 X 16
NKI 17/20	17	21	29	20	17,40	25,40	17.000	0,0535	NK 21/20	IR 17 X 21 X 20
NKI 19/12	9	12	19	12	6,50	7,10	22.000	0,0166	NK 12/16	IR 09 X 12 X 12
NKI 19/16	9	12	19	16	9,10	11,00	22.000	0,0220	NK 12/20	IR 09 X 12 X 16
NKI 20/16	20	24	32	16	15,20	22,30	15.000	0,0490	NK 24/16	IR 20 X 24 X 16
NKI 20/20	20	24	32	20	19,30	30,30	15.000	0,0610	NK 24/20	IR 20 X 24 X 20
NKI 22/16	22	26	34	16	14,20	19,90	14.000	0,0520	NK 26/16	IR 22 X 26 X 16
NKI 22/20	22	26	34	20	18,0	27,00	14.000	0,0655	NK 26/20	IR 22 X 26 X 20
NKI 25/20	25	29	38	20	22,20	24,00	12.000	0,0795	NK 29/20	IR 25 X 29 X 20
NKI 25/30	25	29	38	30	33,60	57,90	12.000	0,1240	NK 29/30	IR 25 X 29 X 30
NKI 28/20	28	32	42	20	23,50	37,70	11.000	0,0965	NK 32/20	IR 28 X 32 X 20
NKI 28/30	28	32	42	30	35,60	64,30	11.000	0,1460	NK 32/30	IR 28 X 32 X 30
NKI 30/20	30	35	45	20	24,80	41,40	10.500	0,1120	NK 35/20	IR 30 X 35 X 20
NKI 30/30	30	35	45	30	37,50	70,60	10.500	0,1700	NK 35/30	IR 30 X 35 X 30
NKI 32/20	32	37	47	20	25,30	43,30	9.600	0,1180	NK 37/20	IR 32 X 37 X 20
NKI 32/30	32	37	47	30	38,30	73,90	9.600	0,1800	NK 37/30	IR 32 X 37 X 30




NKIS SERİSİ

RULMAN NO	BOYUTLAR (mm)				YÜK SAYISI (KN)		DEVİR - HIZ SINIRI (Devir/Dak.)	AĞIRLIK (Kg)	RULMAN NO (Burçsuz)	BURÇ NO
	d	Fw	D	C	Dinamik	Statik				
NKIS 6	6	10	19	13	4,70	4,80	23.000	0,0200	NKS 10	IR 06 X 19 X 13
NKIS 7	7	12	22	16	7,70	8,40	20.800	0,0346	NKS 12	IR 07 X 22 X 16
NKIS 8	8	14	25	16	11,50	11,10	19.200	0,0471	NKS 14	IR 08 X 25 X 16
NKIS 9	9	15	26	16	11,50	11,20	18.500	0,0415	NKS 15	IR 09 X 26 X 16
NKIS 10	10	16	28	16	12,60	12,50	18.000	0,0540	NKS 16	IR 10 X 28 X 16
NKIS 12	12	18	30	16	13,50	14,50	17.000	0,0600	NKS 18	IR 12 X 30 X 16
NKIS 15	15	22	35	20	19,60	22,40	15.000	0,0920	NKS 22	IR 15 X 35 X 20
NKIS 17	17	24	37	20	20,80	25,00	14.000	0,0980	NKS 24	IR 17 X 37 X 20
NKIS 20	20	28	42	20	22,80	29,20	12.000	0,1290	NKS 28	IR 20 X 42 X 20
NKIS 25	25	32	47	22	33,00	43,00	10.500	0,1620	NKS 35	IR 25 X 47 X 22
NKIS 30	30	37	52	22	37,50	50,00	9.600	0,1840	NKS 37	IR 30 X 52 X 22
NKIS 35	35	43	58	22	40,00	57,50	8.000	0,2200	NKS 43	IR 35 X 58 X 22
NKIS 40	40	50	65	22	68,00	9,00	7.200	0,2810	NKS 50	IR 40 X 65 X 22
NKIS 45	45	55	72	22	45,00	75,00	6.400	0,3360	NKS 55	IR 45 X 72 X 22
NKIS 50	50	60	80	28	64,00	99,00	6.000	0,5180	NKS 60	IR 50 X 80 X 28
NKIS 55	55	65	85	28	62,00	105,00	5.600	0,5580	NKS 65	IR 55 X 85 X 28
NKIS 60	60	70	90	28	70,00	115,00	5.200	0,5600	NKS 70	IR 60 X 90 X 28
NKIS 65	65	75	95	28	74,00	127,00	4.800	0,6410	NKS 75	IR 65 X 95 X 28
NKIS 70	70	80	100	28	77,00	135,00	4.400	0,6800	NKS 80	IR 70 X 100 X 28



NKIA SERİSİ

RULMAN NO	BOYUTLAR (mm)				YÜK SAYISI (KN)				DEVİR - HIZ SINIRI (Devir/Dak.)	AĞIRLIK (Kg)
					Radyal		Eksenel			
	d	F	D	C	Dinamik	Statik	Dinamik	Statik		
NKIA 5901	12	16	24	16	7,60	8,30	2,70	3,45	24.000	0,0400
NKIA 5902	15	20	28	18	10,60	13,60	2,90	4,20	22.000	0,0500
NKIA 5903	17	22	30	18	11,00	14,60	3,15	4,90	21.000	0,0560
NKIA 5904	20	25	37	23	21,00	25,50	4,90	7,40	17.000	0,1030
NKIA 5905	25	30	42	23	23,60	31,50	5,40	9,30	15.000	0,1300
NKIA 5906	30	35	47	23	25,00	35,50	5,90	11,20	13.000	0,1470
NKIA 5907	35	42	55	27	31,50	50,00	7,40	14,90	11.000	0,2430
NKIA 5908	40	48	62	30	43,00	67,00	9,20	19,40	9.500	0,3150
NKIA 5909	45	52	68	30	45,00	73,00	9,60	21,40	8.500	0,3750
NKIA 5910	50	58	72	30	47,00	80,00	10,10	24,30	8.000	0,3800
NKIA 5911	55	63	80	34	58,00	100,00	12,10	29,50	7.500	0,5500
NKIA 5912	60	68	85	34	60,00	108,00	12,40	32,00	7.000	0,5900
NKIA 5913	65	72	90	34	61,00	112,16	12,80	34,00	6.500	0,6350
NKIA 5914	70	80	100	40	84,00	156,00	16,80	44,50	6.000	0,9800



NKIB SERİSİ

RULMAN NO	BOYUTLAR (mm)					YÜK SAYISI (KN)				DEVİR - HIZ SINIRI (Devir/Dak.)	AĞIRLIK (Kg)
						Radyal		Eksenel			
	d	d	d	d	d	Dinamik	Statik	Dinamik	Statik		
NKIB 5901	12	16	24	18	16	7,60	8,30	2,70	3,45	24.000	0,0400
NKIB 5902	15	20	28	20	18	10,60	13,60	2,90	4,20	22.000	0,0500
NKIB 5903	17	22	30	20	18	11,00	14,60	3,15	4,90	21.000	0,0560
NKIB 5904	20	25	37	25	23	21,00	25,50	4,90	7,40	17.000	0,1030
NKIB 5905	25	30	42	25	23	23,60	31,50	5,40	9,30	15.000	0,1300
NKIB 5906	30	35	47	25	23	25,00	35,50	5,90	11,20	13.000	0,1470
NKIB 5907	35	42	55	30	27	31,50	50,00	7,40	14,90	11.000	0,2430
NKIB 5908	40	48	62	34	30	43,00	67,00	9,20	19,40	9.500	0,3150
NKIB 5909	45	52	68	34	30	45,00	73,00	9,60	21,40	8.500	0,3750
NKIB 5910	50	58	72	34	30	47,00	80,00	10,10	24,30	8.000	0,3800
NKIB 5911	55	63	80	38	34	58,00	100,00	12,10	29,50	7.500	0,5500
NKIB 5912	60	68	85	38	34	60,00	108,00	12,40	32,00	7.000	0,5900
NKIB 5913	65	72	90	38	34	61,00	112,16	12,80	34,00	6.500	0,6350
NKIB 5914	70	80	100	45	40	84,00	156,00	16,80	44,50	6.000	0,9800

