










UCP SERİSİ

RULMAN NO	BOYUTLAR (mm)											YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	L	J	A	N	N1	H1	Ho	B	S	Dinamik	Statik			
UCP 201	12	30,2	127	95	38	13	19	14	61	31,0	12,7	12,82	6,65	4.000	M10	0,76
UCP 202	15	30,2	127	95	38	13	19	14	61	31,0	12,7	12,82	6,65	4.000	M10	0,74
UCP 203	17	30,2	127	95	38	13	19	14	61	31,0	12,7	12,82	6,65	4.000	M10	0,72
UCP 204	20	33,3	127	95	38	13	19	14	64	31,0	12,7	12,82	6,65	4.000	M10	0,70
UCP 205	25	36,5	140	105	38	13	19	15	71	34,1	14,3	14,03	8,05	3.400	M10	0,76
UCP 206	30	42,9	160	121	44	17	21	16	82	38,1	15,9	19,47	11,43	2.800	M14	1,25
UCP 207	35	47,6	167	126	48	17	21	17	92	42,9	17,5	25,69	15,55	2.400	M14	1,55
UCP 208	40	49,2	180	137	52	17	21	18	99	49,2	19,0	29,51	18,14	2.200	M14	1,90
UCP 209	45	54,0	190	146	54	17	21	20	106	49,2	19,0	31,85	20,80	1.900	M14	2,20
UCP 210	50	57,2	206	159	60	20	25	21	114	51,6	19,0	34,99	23,70	1.800	M16	2,75
UCP 211	55	63,5	217	172	60	20	25	23	125	55,6	22,2	43,34	29,39	1.600	M16	3,30
UCP 212	60	69,9	238	186	70	20	25	24	137	65,1	25,4	47,68	33,43	1.500	M16	4,70
UCP 213	65	76,2	262	203	70	25	30	26	149	65,1	25,4	57,20	40,01	1.400	M20	5,60
UCP 214	70	79,4	266	210	72	25	30	27	155	74,6	30,2	62,19	43,90	1.300	M20	6,60
UCP 215	75	82,6	274	217	74	25	30	28	162	77,8	33,3	62,08	44,82	1.200	M20	7,30
UCP 216	80	88,9	292	232	78	25	30	30	174	82,6	33,3	72,62	53,34	1.100	M20	9,00
UCP 217	85	95,2	310	247	83	25	28	32	186	85,7	34,1	83,15	64,54	1.000	M20	10,80
UCP 218	90	101,6	326	262	88	27	30	33	198	96,0	39,7	95,84	72,64	950	M22	13,00
UCP 220	100	115,0	380	305	95	30	36	40	225	108,0	42,0	122,00	92,80	800	M24	16,00






UCP SERİSİ

RULMAN NO	BOYUTLAR (mm)											YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	L	J	A	N	N1	H1	Ho	B	S	Dinamik	Statik			
UCP 305	25	45	175	132	45	17	20	16	85	38	15	22,46	11,57	2.800	M14	1,40
UCP 306	30	50	180	140	50	17	20	18	95	43	17	27,14	15,20	2.600	M14	1,80
UCP 307	35	56	210	160	56	17	25	20	106	48	19	33,53	19,22	2.200	M14	2,80
UCP 308	40	60	220	170	60	17	25	24	116	52	19	40,96	24,01	2.000	M14	3,08
UCP 309	45	67	245	190	67	20	30	25	129	57	22	53,33	32,19	1.800	M16	4,10
UCP 310	50	75	275	212	75	20	35	27	143	61	22	62,38	38,32	1.700	M16	6,00
UCP 311	55	80	310	236	80	20	38	30	154	66	25	72,05	44,97	1.400	M16	7,40
UCP 312	60	85	330	250	85	25	38	32	165	71	26	82,33	52,16	1.300	M20	9,40
UCP 313	65	90	335	260	90	25	38	33	176	75	30	94,54	60,82	1.200	M20	10,00
UCP 314	70	95	360	280	90	27	40	35	187	78	33	104,70	68,13	1.100	M22	12,00
UCP 315	75	100	380	290	100	27	40	35	198	82	32	113,97	78,66	1.000	M22	14,00
UCP 316	80	106	400	300	110	27	40	40	210	86	34	123,46	88,18	970	M22	18,00
UCP 317	85	112	420	320	110	33	45	40	220	96	40	133,16	98,25	950	M27	20,00
UCP 318	90	118	430	330	110	33	45	45	235	96	40	144,67	110,59	900	M27	24,00
UCP 319	95	125	470	360	120	36	50	46	250	103	41	156,68	122,07	850	M30	26,50
UCP 320	100	140	490	380	120	36	50	50	275	108	42	173,14	140,67	800	M30	34,30
UCP 321	105	140	490	380	120	36	50	50	280	112	44	189,41	165,62	750	M30	36,30
UCP 322	110	150	520	400	140	40	55	55	300	117	46	206,80	179,90	650	M33	42,50
UCP 324	120	160	570	450	140	40	55	65	320	126	51	228,00	208,60	500	M33	53,50
UCP 326	130	180	600	480	140	40	55	75	355	135	54	274,20	273,70	400	M33	72,10
UCP 328	140	200	620	500	140	40	55	75	390	145	59	296,90	306,50	300	M33	89,10





UCF SERİSİ

RULMAN NO	BOYUTLAR (mm)										YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	L	J	A2	A1	A	N	B	S	Z	Dinamik	Statik			
UCF 201	12	86	64	15	12	25,5	12	31,0	12,7	33,3	12,82	6,65	4.000	M10	0,61
UCF 202	15	86	64	15	12	25,5	12	31,0	12,7	33,3	12,82	6,65	4.000	M10	0,61
UCF 203	17	86	64	15	12	25,5	12	31,0	12,7	33,3	12,82	6,65	4.000	M10	0,61
UCF 204	20	86	64	15	12	25,5	12	31,0	12,7	33,3	12,82	6,65	4.000	M10	0,61
UCF 205	25	95	70	16	14	27,0	12	34,1	14,3	35,8	14,03	9,05	3.400	M10	0,80
UCF 206	30	108	83	18	14	31,0	12	38,0	15,9	40,2	19,47	11,43	2.800	M10	1,00
UCF 207	35	117	92	19	16	34,0	14	42,9	17,5	44,4	25,69	15,55	2.400	M12	1,40
UCF 208	40	130	102	21	16	36,0	16	49,2	19,0	51,2	29,51	18,14	2.200	M14	1,80
UCF 209	45	137	105	22	18	38,0	16	49,2	19,0	52,2	31,85	20,80	1.900	M14	2,20
UCF 210	50	143	111	22	18	40,0	16	51,6	19,0	54,6	34,99	23,70	1.800	M14	2,40
UCF 211	55	162	130	25	20	43,0	19	55,6	22,2	58,4	43,34	29,39	1.600	M16	3,50
UCF 212	60	175	143	29	20	48,0	19	65,1	25,4	68,7	47,68	33,43	1.500	M16	4,20
UCF 213	65	187	149	30	22	50,0	19	65,1	25,4	69,7	57,20	40,01	1.400	M16	5,30
UCF 214	70	193	152	31	22	54,0	19	74,6	30,2	75,4	62,19	43,90	1.300	M16	5,90
UCF 215	75	200	159	34	22	56,0	19	77,8	33,3	78,5	62,08	44,82	1.200	M16	6,30
UCF 216	80	208	165	34	22	58,0	23	82,6	33,3	83,3	72,62	53,34	1.100	M20	7,30
UCF 217	85	220	175	36	24	63,0	23	85,7	34,1	87,6	83,15	64,54	1.000	M20	8,90
UCF 218	90	235	187	40	25	68,0	23	96,0	39,7	96,3	95,84	72,64	950	M20	11,60





UCF SERİSİ

RULMAN NO	BOYUTLAR (mm)										YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	L	J	A2	A1	A	N	B	S	Z	Dinamik	Statik			
UCF 305	25	110	80	16	13	29	16	38	15	39	22,46	11,57	2.800	M14	1,20
UCF 306	30	125	95	18	15	32	16	43	17	44	27,14	15,20	2.600	M14	1,80
UCF 307	35	135	100	20	16	36	19	48	19	49	33,53	19,22	2.200	M16	2,20
UCF 308	40	150	112	23	17	40	19	52	19	56	40,96	24,01	2.000	M16	2,90
UCF 309	45	160	125	25	18	44	19	57	22	61	53,33	32,19	1.800	M16	3,50
UCF 310	50	175	132	28	19	48	23	61	22	67	62,38	38,32	1.700	M20	4,80
UCF 311	55	185	140	30	20	52	23	66	25	71	72,05	44,97	1.400	M20	5,60
UCF 312	60	193	150	33	22	56	23	71	26	78	82,33	52,16	1.300	M20	6,70
UCF 313	65	208	166	33	22	58	23	75	30	78	94,54	60,82	1.200	M20	7,80
UCF 314	70	226	178	36	25	61	25	78	33	81	104,70	68,13	1.100	M22	10,10
UCF 315	75	236	184	39	25	66	25	82	32	89	113,97	78,66	1.000	M22	11,10
UCF 316	80	250	196	38	27	68	31	86	34	90	123,46	88,18	970	M27	12,80
UCF 317	85	260	204	44	27	74	31	96	40	100	133,16	98,25	950	M27	15,40
UCF 318	90	280	216	44	30	76	35	96	40	100	144,67	110,59	900	M30	19,00
UCF 319	95	290	228	59	30	94	35	103	41	121	156,68	122,07	850	M30	20,60
UCF 320	100	310	242	59	32	94	38	108	42	125	173,14	140,67	800	M33	26,70
UCF 321	105	310	242	59	32	94	38	112	44	128	189,41	165,62	750	M33	25,60
UCF 322	110	340	266	60	35	96	41	117	46	131	206,80	179,90	650	M36	38,00
UCF 324	120	370	290	65	40	110	41	126	51	140	228,00	208,60	500	M36	50,00
UCF 326	130	410	320	65	45	115	41	135	54	146	274,20	273,70	400	M36	66,00
UCF 328	140	450	350	75	55	125	41	145	59	141	296,90	306,50	300	M36	90,00





UCFL SERİSİ

RULMAN NO	BOYUTLAR (mm)											YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	J	A2	A1	A	N	L	B	S	Z	Dinamik	Statik			
UCFL 201	12	113	90	15	11	25,5	12	60	31,0	12,7	33,3	12,82	6,65	4.000	M10	0,51
UCFL 202	15	113	90	15	11	25,5	12	60	31,0	12,7	33,3	12,82	6,65	4.000	M10	0,51
UCFL 203	17	113	90	15	11	25,5	12	60	31,0	12,7	33,3	12,82	6,65	4.000	M10	0,51
UCFL 204	20	113	90	15	11	25,5	12	60	31,0	12,7	33,3	12,82	6,65	4.000	M10	0,51
UCFL 205	25	130	99	16	13	27,0	16	68	34,1	14,3	35,8	14,03	8,05	3.400	M14	0,60
UCFL 206	30	148	117	18	13	31,0	16	80	38,1	15,9	40,2	19,47	11,43	2.800	M14	0,90
UCFL 207	35	160	130	19	15	34,0	16	90	42,9	17,5	44,4	25,69	15,55	2.400	M14	1,20
UCFL 208	40	175	144	21	15	36,0	16	100	49,2	19,0	51,2	29,51	18,14	2.200	M14	1,50
UCFL 209	45	188	148	22	16	38,0	19	108	49,2	19,0	52,2	31,85	20,80	1.900	M16	1,90
UCFL 210	50	197	157	22	16	40,0	19	115	51,6	19,0	54,6	34,99	23,70	1.800	M16	2,20
UCFL 211	55	224	184	25	18	43,0	19	125	55,6	22,2	58,4	43,34	29,39	1.600	M16	3,00
UCFL 212	60	250	202	29	18	48,0	23	140	65,1	25,4	68,7	47,68	33,43	1.500	M20	4,00
UCFL 213	65	258	210	30	22	50,0	23	155	65,1	25,4	69,7	57,20	40,01	1.400	M20	5,00
UCFL 214	70	265	216	31	22	54,0	23	160	74,6	30,2	75,4	62,19	43,90	1.300	M20	5,60
UCFL 215	75	275	225	34	22	56,0	23	165	77,8	33,3	78,5	62,08	44,82	1.200	M20	6,20
UCFL 216	80	290	233	34	22	58,0	25	180	82,6	33,3	83,3	72,62	53,34	1.100	M22	7,80
UCFL 217	85	305	248	36	24	63,0	25	190	85,7	34,1	87,6	83,15	64,54	1.000	M22	9,80
UCFL 218	90	320	265	40	24	68,0	25	205	96,0	39,7	96,3	95,84	72,64	950	M22	12,40





UCFC SERİSİ

RULMAN NO	BOYUTLAR (mm)													YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	D2	P	J	A2	N	L	H1	A1	D1	B1	S	Z	Dinamik	Statik			
UCFC 204	20	100	78	55,1	10	12	5	7	2	62	31,0	12,7	28,3	12,82	6,65	4.000	M10	0,75
UCFC 205	25	115	90	63,6	10	12	6	7	121	70	34,1	14,3	29,8	14,03	8,05	3.400	M10	1,00
UCFC 206	30	125	100	70,7	10	12	8	8	23	80	38,1	15,9	32,2	19,47	11,43	2.800	M10	1,30
UCFC 207	35	135	110	77,8	11	14	8	9	26	90	42,9	17,5	36,4	25,69	15,55	2.400	M12	1,75
UCFC 208	40	145	120	84,8	11	14	10	9	26	100	49,2	19,0	41,2	29,51	18,14	2.200	M12	2,00
UCFC 209	45	160	132	93,3	10	16	12	14	26	105	49,2	19,0	40,2	31,85	20,80	1.900	M14	2,50
UCFC 210	50	165	138	97,6	10	16	12	14	28	110	51,6	19,0	42,6	34,99	23,70	1.800	M14	2,95
UCFC 211	55	185	150	106,1	13	19	12	15	30	125	55,6	22,2	46,4	43,34	29,39	1.600	M16	4,00
UCFC 212	60	195	160	113,1	17	19	12	15	35	135	65,1	25,4	56,7	47,68	33,43	1.500	M16	4,90
UCFC 213	65	205	170	120,2	16	19	14	15	36	145	65,1	25,4	55,7	57,20	40,01	1.400	M16	5,35
UCFC 214	70	215	177	125,1	17	19	14	18	38	150	74,6	30,2	61,4	62,19	43,90	1.300	M16	6,90
UCFC 215	75	220	184	130,1	18	19	16	18	39	160	77,8	33,3	62,5	62,08	44,82	1.200	M16	7,50
UCFC 216	80	240	200	141,4	18	23	16	18	42	170	82,6	33,3	67,3	72,62	53,34	1.100	M20	8,70
UCFC 217	85	250	208	147,1	18	23	18	20	45	180	85,7	34,1	69,6	83,15	64,54	1.000	M20	10,30
UCFC 218	90	265	220	155,5	22	23	18	20	50	190	96,0	39,7	78,3	95,84	72,64	950	M20	13,50





UCT SERİSİ

RULMAN NO	BOYUTLAR (mm)																YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	AĞIRLIK (Kg)
	d	N1	L2	H2	N2	N	L3	A1	H1	H	L	A	A2	L1	B	S	Dinamik	Statik		
UCT 201	12	16	10	51	32	19	51	12	76	89	94	32	21	61	31,0	12,7	12,82	6,65	4.000	0,80
UCT 202	15	16	10	51	32	19	51	12	76	89	94	32	21	61	31,0	12,7	12,82	6,65	4.000	0,79
UCT 203	17	16	10	51	32	19	51	12	76	89	94	32	21	61	31,0	12,7	12,82	6,65	4.000	0,78
UCT 204	20	16	10	51	32	19	51	12	76	89	94	32	21	61	31,0	12,7	12,82	6,65	4.000	0,72
UCT 205	25	16	10	51	32	19	51	12	76	89	97	32	24	62	34,1	14,3	14,03	8,05	3.400	0,80
UCT 206	30	16	10	56	37	22	57	12	89	102	113	37	28	70	38,1	15,9	19,47	11,43	2.800	1,26
UCT 207	35	16	13	64	37	22	64	12	89	102	129	37	30	78	42,9	17,5	25,69	15,55	2.400	1,68
UCT 208	40	19	16	83	49	29	83	16	102	114	144	49	33	88	49,2	19,0	29,51	18,14	2.200	2,28
UCT 209	45	19	16	83	49	29	83	16	102	117	144	49	35	87	49,2	19,0	31,85	20,80	1.900	2,52
UCT 210	50	19	16	83	49	29	86	16	102	117	149	49	37	90	51,6	19,0	34,99	23,70	1.800	2,75
UCT 211	55	25	19	102	64	35	95	22	130	146	171	64	38	106	55,6	22,2	43,34	29,39	1.600	4,10
UCT 212	60	32	19	102	64	35	102	22	130	146	194	64	42	119	65,1	25,4	47,68	33,43	1.500	4,90
UCT 213	65	32	21	111	70	41	121	26	151	167	224	70	44	137	65,1	25,4	57,20	40,01	1.400	6,70
UCT 214	70	32	21	111	70	41	121	26	151	167	224	70	46	137	74,6	30,2	62,19	43,90	1.300	6,90
UCT 215	75	32	21	111	70	41	121	26	151	167	232	70	48	140	77,8	33,3	62,08	44,82	1.200	7,40
UCT 216	80	32	21	111	70	41	121	26	165	184	235	70	51	140	82,6	33,3	72,62	53,34	1.100	8,10
UCT 217	85	38	29	124	73	48	157	30	173	198	269	73	54	162	85,7	34,1	83,15	64,54	1.000	11,00
UCT 218	90	40	30	130	80	48	140	30	190	215	275	80	55	170	96,0	39,7	95,84	72,64	950	12,20





UCHA SERİSİ

RULMAN NO	BOYUTLAR (mm)											YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	AĞIRLIK (Kg)
	d	L	Ho	H	A	M(in)	F	C	A1	B	S	Dinamik	Statik		
UCHA 204	20	64	96	64	40	G3/4	19	0	21	31,0	12,7	12,82	6,65	4.000	0,70
UCHA 205	25	78	103	64	40	G3/4	19	0	24	34,1	14,7	12,82	6,65	4.000	0,74
UCHA 206	30	78	103	64	40	G3/4	19	0	28	38,1	15,9	12,82	6,65	4.000	0,91
UCHA 207	35	92	116	70	40	G3/4	19	0	30	42,9	17,5	12,82	6,65	4.000	1,19
UCHA 208	40	100	123	73	40	G3/4	19	2	33	49,2	19,0	14,03	8,05	3.400	1,36
UCHA 209	45	108	136	82	48	G1	21	5	35	49,2	19,0	19,47	11,43	2.800	1,78
UCHA 210	50	119	142	83	48	G1	21	5	37	51,6	19,0	25,69	15,55	2.400	1,93
UCHA 211	55	126	150	87	60	G5/4	25	7	38	55,6	22,2	29,51	18,14	2.200	3,50
UCHA 212	60	142	173	102	60	G5/4	28	9	42	65,1	25,4	31,85	20,80	1.900	3,90
UCHA 213	65	166	200	117	70	G1-1/2	32	10	44	65,1	25,4	34,99	23,70	1.800	4,40





UCPA SERİSİ

RULMAN NO	BOYUTLAR (mm)											YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	L	J	A	G	H1	Ho	M	B	S	Dinamik	Statik			
UCPA 201	12	30,2	76	52	38	13	11	62	M10	31,0	12,1	12,82	6,65	4.000	M10	0,67
UCPA 202	15	30,2	76	52	38	13	11	62	M10	31,0	12,1	12,82	6,65	4.000	M10	0,63
UCPA 203	17	30,2	76	52	38	13	11	62	M10	31,0	12,1	12,82	6,65	4.000	M10	0,62
UCPA 204	20	30,2	76	52	38	13	11	62	M10	31,0	12,1	12,82	6,65	4.000	M10	0,60
UCPA 205	25	36,5	84	56	38	15	12	72	M10	34,1	14,0	14,03	8,05	3.400	M10	0,81
UCPA 206	30	42,9	94	66	48	18	12	84	M14	38,1	15,1	19,47	11,43	2.800	M14	1,20
UCPA 207	35	47,6	110	80	48	20	13	95	M14	42,9	17,1	25,69	15,55	2.400	M14	1,70
UCPA 208	40	49,2	116	84	54	20	13	100	M14	49,2	19,0	29,51	18,14	2.200	M14	1,90
UCPA 209	45	54,2	120	90	54	25	13	108	M14	49,2	19,0	31,85	20,80	1.900	M14	2,20
UCPA 210	50	57,2	130	94	60	25	14	116	M16	51,6	19,0	34,99	23,70	1.800	M16	2,60
UCPA 211	55	63,5	140	104	66	25	14	125	M16	55,6	22,0	43,34	29,39	1.600	M16	3,00
UCPA 212	60	69,9	150	114	68	25	17	138	M16	65,1	25,0	47,68	33,43	1.500	M16	4,24





UCPA SERİSİ

RULMAN NO	BOYUTLAR (mm)											YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	L	J	A	N	N1	H1	Ho	B	S	Dinamik	Statik			
UCPH 201	12	70	127	95	40	13	19	15	101	31,0	12,1	12,82	6,65	4.000	M10	0,96
UCPH 202	15	70	127	95	40	13	19	15	101	31,0	12,1	12,82	6,65	4.000	M10	0,96
UCPH 203	17	70	127	95	40	13	19	15	101	31,0	12,1	12,82	6,65	4.000	M10	0,96
UCPH 204	20	70	127	95	40	13	19	15	101	31,0	12,1	12,82	6,65	4.000	M10	0,96
UCPH 205	25	80	140	105	50	13	19	16	114	34,1	14,0	14,03	8,05	3.400	M10	1,20
UCPH 206	30	90	165	121	50	17	21	18	130	38,1	15,1	19,47	11,43	2.800	M14	1,60
UCPH 207	35	95	167	127	60	17	21	19	140	42,9	17,1	25,69	15,55	2.400	M14	2,10
UCPH 208	40	100	178	137	70	17	21	20	150	49,2	19,0	29,51	18,14	2.200	M14	2,70
UCPH 209	45	105	190	146	70	17	21	20	158	49,2	19,0	31,85	20,80	1.900	M14	3,10
UCPH 210	50	110	206	159	70	20	23	22	165	51,6	19,0	34,99	23,70	1.800	M16	3,50
UCPH 211	55	120	219	171	75	20	23	23	181	55,6	22,0	43,34	29,39	1.600	M16	4,07
UCPH 212	60	130	235	186	85	20	23	24	197	65,1	25,0	47,68	33,43	1.500	M16	6,31





UCFA SERİSİ

RULMAN NO	BOYUTLAR (mm)														YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	J	A2	A1	A	N	N1	N2	L	P	B	S	Z	Dinamik	Statik			
UCFA 201	12	98	78	15	12	26	10	10	40	60	50	31,0	12,1	33,3	12,82	6,65	4.000	M8	0,53
UCFA 202	15	98	78	15	12	26	10	10	40	60	50	31,0	12,1	33,3	12,82	6,65	4.000	M8	0,49
UCFA 203	17	98	78	15	12	26	10	10	40	60	50	31,0	12,1	33,3	12,82	6,65	4.000	M8	0,48
UCFA 204	20	98	78	15	12	26	10	10	40	60	50	31,0	12,1	33,3	12,82	6,65	4.000	M8	0,46
UCFA 205	25	125	98	16	14	27	12	13	51	70	65	34,1	14,0	35,8	14,03	8,05	3.400	M10	0,69
UCFA 206	30	142	117	18	14	31	12	13	58	83	72	38,1	15,1	40,2	19,47	11,43	2.800	M10	1,00
UCFA 207	35	154	130	19	16	34	15	15	66	95	82	42,9	17,1	44,4	25,69	15,55	2.400	M12	1,50
UCFA 208	40	172	144	21	16	38	15	15	71	105	87	49,2	19,0	51,2	29,51	18,14	2.200	M12	1,80
UCFA 209	45	180	148	22	18	40	15	15	72	110	90	49,2	19,0	52,2	31,85	20,80	1.900	M14	2,10
UCFA 210	50	190	157	22	18	40	15	15	76	115	94	51,6	19,0	54,6	34,99	23,70	1.800	M14	2,30
UCFA 211	55	216	184	25	20	43	16	17	86	132	104	55,6	22,2	58,4	43,34	29,39	1.600	M14	3,60
UCFA 212	60	250	202	29	20	48	18	19	100	140	120	65,1	25,4	68,7	52,50	32,80	1.400	M16	4,20





UCFB SERİSİ

RULMAN NO	BOYUTLAR (mm)														YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	Ho	H	J	J1	A2	A1	A	N	L	P	B	S	Z	Dinamik	Statik			
UCFB 201	12	110	42	32	27	15	13	26	10	62	52	31,0	12,1	33,3	12,82	6,65	4.000	M8	0,62
UCFB 202	15	110	42	32	27	15	13	26	10	62	52	31,0	12,1	33,3	12,82	6,65	4.000	M8	0,58
UCFB 203	17	110	42	32	27	15	13	26	10	60	52	31,0	12,1	33,3	12,82	6,65	4.000	M8	0,57
UCFB 204	20	110	42	32	27	15	13	26	10	62	52	31,0	12,1	33,3	12,82	6,65	4.000	M8	0,62
UCFB 205	25	116	45	34	27	16	13	27	10	68	56	34,1	14,0	35,7	14,03	8,05	3.400	M8	0,69
UCFB 206	30	130	50	40	29	18	13	31	10	78	65	38,1	15,1	40,2	19,47	11,43	2.800	M8	0,93
UCFB 207	35	144	55	46	32	19	15	34	10	90	70	42,9	17,1	44,4	25,69	15,55	2.400	M8	1,30
UCFB 208	40	164	60	50	41	21	16	36	12	100	78	49,2	19,0	51,2	29,51	18,14	2.200	M10	1,80
UCFB 209	45	174	65	54	43	22	18	38	12	106	80	49,2	19,0	52,2	31,85	20,80	1.900	M10	2,00
UCFB 210	50	184	68	58	46	22	18	40	12	112	86	51,6	19,0	54,6	34,99	23,70	1.800	M10	2,30





UKP SERİSİ

RULMAN NO	BOYUTLAR (mm)											YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	L	J	A	N	N1	H1	Ho	B3	S1	Dinamik	Statik			
UKP 205	20	36,5	140	105	38	13	19	15	71	35	18,1	14,03	8,05	3.400	M10	0,83
UKP 206	25	42,9	160	121	44	17	21	6	82	38	20,1	19,47	11,43	2.800	M14	1,30
UKP 207	30	47,6	167	126	48	17	21	17	92	43	22,1	25,69	15,55	2.400	M14	1,50
UKP 208	35	49,2	180	137	52	17	21	18	99	46	24,1	29,51	18,14	2.200	M14	2,00
UKP 209	40	54,0	190	146	54	17	21	20	106	50	26,0	31,85	20,80	1.900	M14	2,30
UKP 210	45	57,2	206	159	60	20	25	21	114	55	27,1	34,99	23,70	1.800	M16	3,00
UKP 211	50	63,5	217	172	60	20	25	23	125	59	28,1	43,34	29,39	1.600	M16	3,50
UKP 212	55	69,9	238	186	70	20	25	24	137	62	31,0	47,68	33,43	1.500	M16	4,70
UKP 213	60	76,2	262	203	70	25	30	26	149	65	32,0	57,20	40,01	1.400	M20	5,90
UKP 214	65	82,6	274	217	74	25	30	28	162	73	35,5	62,08	44,82	1.200	M20	7,60
UKP 216	70	88,9	292	232	78	25	30	30	174	78	39,0	72,62	53,34	1.100	M20	9,20
UKP 217	75	95,2	310	247	83	25	28	32	186	82	40,0	83,15	64,54	1.000	M20	10,93
UKP 218	80	101,6	326	262	88	27	30	33	198	86	42,0	95,84	72,64	950	M22	12,65



UCT SERİSİ

RULMAN NO	BOYUTLAR (mm)																YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	AĞIRLIK (Kg)
	d	N1	L2	H2	N2	N	L3	A1	H1	H	L	A	A2	L1	B3	S1	Dinamik	Statik		
UKT 205	20	16	10	51	32	19	51	12	76	89	97	32	24	62	35	18,1	14,03	8,05	3.400	0,80
UKT 206	25	16	10	56	37	22	57	12	89	102	113	37	28	70	38	20,1	19,47	11,43	2.800	1,26
UKT 207	30	16	13	64	37	22	64	12	89	102	129	37	30	78	43	22,1	25,69	15,55	2.400	1,68
UKT 208	35	16	16	83	49	29	83	16	102	114	144	49	33	88	46	24,1	29,51	18,14	2.200	2,28
UKT 209	40	19	16	83	49	29	83	16	102	117	144	49	35	87	50	26,0	31,85	20,80	1.900	2,52
UKT 210	45	19	16	83	49	29	86	16	102	117	149	49	37	90	55	27,1	34,99	23,70	1.800	2,75
UKT 211	50	25	19	102	64	35	95	22	130	146	171	64	38	106	59	28,1	43,34	29,39	1.600	4,10
UKT 212	55	32	19	102	64	35	102	22	130	146	194	64	42	119	62	31,0	47,68	33,43	1.500	4,90
UKT 213	60	32	21	111	70	41	121	26	151	167	224	70	44	137	65	32,0	57,20	40,01	1.400	6,70
UKT 215	65	32	21	111	70	41	121	26	151	167	232	70	48	140	73	35,5	62,19	43,90	1.200	7,40
UKT 216	70	32	21	111	70	41	121	26	151	184	235	70	51	140	78	39,0	62,08	44,82	1.100	8,10
UKT 217	75	38	29	124	73	48	157	30	173	198	260	73	54	162	82	40	73	53	1.000	11,00



UCFL SERİSİ

RULMAN NO	BOYUTLAR (mm)									YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	L	J	A2	A1	A	N	S1	Z	Dinamik	Statik			
UFK 205	20	95	70	16	14	27	12	18,1	34,5	14,03	8,05	3.400	M10	0,84
UFK 206	25	108	83	18	14	31	12	20,1	38,5	19,47	11,43	2.800	M10	1,10
UFK 207	30	117	92	19	16	34	14	22,1	41,5	25,69	15,55	2.400	M12	1,60
UFK 208	35	130	102	21	16	36	16	24,1	45,5	29,51	18,14	2.200	M14	1,90
UFK 209	40	137	105	22	18	38	16	26,0	48,0	31,85	20,80	1.900	M14	2,30
UFK 210	45	143	111	22	18	40	16	27,1	49,5	34,99	23,70	1.800	M14	2,60
UFK 211	50	162	130	25	20	43	19	28,1	53,5	43,34	29,39	1.600	M16	3,40
UFK 212	55	175	143	29	20	48	19	31,0	60,0	47,68	33,43	1.500	M16	4,10
UFK 213	60	187	149	30	22	50	19	32,0	62,0	57,20	40,01	1.400	M16	5,50
UFK 215	65	200	159	34	22	56	19	35,5	69,5	62,19	43,90	1.200	M16	6,70
UFK 216	70	208	165	34	22	58	23	39,0	73,0	62,08	44,82	1.100	M20	7,50
UFK 217	75	220	175	36	24	63	23	40,0	76,0	72,62	53,34	1.000	M20	9,10
UFK 218	80	235	187	40	25	68	23	42,0	82,0	83,15	64,54	950	M20	11,80