









SUC SERİSİ

RULMAN NO	BOYUTLAR (mm)								YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	AĞIRLIK (Kg)
	d	D	B	C	S	S1	G	Ca	Dinamik	Statik		
SUC 201	12	47	31,0	17	12,7	18,3	5,0	4,3	12,82	6,65	4.000	0,21
SUC 202	15	47	31,0	17	12,7	18,3	5,0	4,3	12,82	6,65	4.000	0,19
SUC 203	17	47	31,0	17	12,7	18,3	5,0	4,3	12,82	6,65	4.000	0,18
SUC 204	20	47	31,0	17	12,7	18,3	5,0	4,3	12,82	6,65	4.000	0,16
SUC 205	25	52	34,1	17	14,3	19,8	5,4	4,2	14,03	8,05	3.400	0,18
SUC 206	30	62	38,1	19	15,9	22,2	5,5	5,3	19,47	11,43	2.800	0,33
SUC 207	35	72	42,9	20	17,5	25,4	6,9	5,8	25,69	15,55	2.400	0,49
SUC 208	40	80	49,2	21	19,0	30,2	8,0	6,2	29,51	18,14	2.200	0,65
SUC 209	45	85	49,2	22	19,0	30,2	8,0	6,5	31,85	20,80	1.900	0,71
SUC 210	50	90	51,6	24	19,0	32,6	10,0	7,0	34,99	23,70	1.800	0,80
SUC 211	55	100	55,6	25	22,2	33,4	10,0	7,4	43,34	29,39	1.600	1,08
SUC 212	60	110	65,1	27	25,4	39,7	10,0	7,6	47,68	33,43	1.500	1,51





SUCF SERİSİ

RULMAN NO	BOYUTLAR (mm)										YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	L	J	A2	A1	A	N	B	S	Z	Dinamik	Statik			
SUCF 201	12	86	63,5	18,0	13	27,1	11	31,0	12,1	36,3	12,82	6,65	4.000	M10	0,29
SUCF 202	15	86	63,5	18,0	13	27,1	11	31,0	12,1	36,3	12,82	6,65	4.000	M10	0,29
SUCF 203	17	86	63,5	18,0	13	27,1	11	31,0	12,1	36,3	12,82	6,65	4.000	M10	0,29
SUCF 204	20	86	63,5	18,0	13	27,1	11	31,0	12,1	36,3	12,82	6,65	4.000	M10	0,29
SUCF 205	25	95	70,0	17,0	14	28,0	11	34,1	14,0	36,7	14,03	8,05	3.400	M10	0,32
SUCF 206	30	108	83,0	19,0	14	31,1	11	38,1	15,1	41,4	19,47	11,43	2.800	M10	0,54
SUCF 207	35	118	92,0	21,1	15	34,8	13	42,9	17,1	46,9	25,69	15,55	2.400	M12	0,75
SUCF 208	40	130	102,0	23,0	18	37,5	14	49,2	19,0	53,2	29,51	18,14	2.200	M12	0,99
SUCF 209	45	137	105,0	24,0	19	41,0	17	49,2	19,0	54,2	31,85	20,80	1.900	M16	1,12
SUCF 210	50	143	111,0	25,0	21	43,0	17	51,6	19,0	57,6	34,99	23,70	1.800	M16	1,24
SUCF 211	55	162	130,0	25,0	20	43,0	17	55,6	22,0	58,4	43,34	29,39	1.600	M16	1,58
SUCF 212	60	175	143,0	29,0	19	48,0	17	65,1	25,0	68,7	47,68	33,43	1.500	M16	2,10





SUCF SERİSİ

RULMAN NO	BOYUTLAR (mm)											YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	L	J	A	N	N1	H1	Ho	B	S	Dinamik	Statik			
SUCP 201	12	33,3	127	95	38	11	14	15,0	65,5	31,0	12,1	12,82	6,65	4.000	M10	0,29
SUCP 202	15	33,3	127	95	38	11	14	15,0	65,5	31,0	12,1	12,82	6,65	4.000	M10	0,29
SUCP 203	17	33,3	127	95	38	11	14	15,0	65,5	31,0	12,1	12,82	6,65	4.000	M10	0,29
SUCP 204	20	33,3	127	95	38	11	14	15,0	65,5	31,0	12,1	12,82	6,65	4.000	M10	0,29
SUCP 205	25	36,5	140	105	38	11	14	16,0	71,0	34,1	14,0	14,03	8,05	3.400	M10	0,32
SUCP 206	30	42,9	163	119	46	14	18	18,0	84,0	38,1	15,1	19,47	11,43	2.800	M10	0,58
SUCP 207	35	47,6	168	127	48	14	18	18,0	94,5	42,9	17,1	25,69	15,55	2.400	M12	0,76
SUCP 208	40	49,2	184	137	54	14	18	19,5	99,0	49,2	19,0	29,51	18,14	2.200	M12	0,97
SUCP 209	45	54,0	192	146	54	17	20	23,0	106,0	49,2	19,0	31,85	20,80	1.900	M16	1,08
SUCP 210	50	57,2	206	159	60	17	20	24,0	114,0	51,6	19,0	34,99	23,70	1.800	M16	1,24
SUCP 211	55	63,5	217	172	60	17	20	22,0	124,0	55,6	22,0	43,34	29,39	1.600	M16	1,60
SUCP 212	60	69,9	238	186	66	18	24	24,0	137,0	65,1	25,0	47,68	33,43	1.500	M16	2,40





SUCT SERİSİ

RULMAN NO	BOYUTLAR (mm)												YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	AĞIRLIK (Kg)
	d	L	A2	A1	L1	H	H1	M	A	L3	B	S	Dinamik	Statik		
SUCT 201	12	99,0	27,1	12	64	88	76	M16	36	47	31,0	12,1	12,82	6,65	4.000	0,33
SUCT 202	15	99,0	27,1	12	64	88	76	M16	36	47	31,0	12,1	12,82	6,65	4.000	0,33
SUCT 203	17	99,0	27,1	12	64	88	76	M16	36	47	31,0	12,1	12,82	6,65	4.000	0,33
SUCT 204	20	99,0	27,1	12	64	88	76	M16	36	47	31,0	12,1	12,82	6,65	4.000	0,33
SUCT 205	25	99,0	27,1	12	64	88	76	M16	36	47	34,1	14,0	14,03	8,05	3.400	0,34
SUCT 206	30	125,0	34,5	12	76	102	89	M16	40	63	38,1	15,1	19,47	11,43	2.800	0,62
SUCT 207	35	125,0	34,5	12	76	102	89	M16	40	63	42,9	17,1	25,69	15,55	2.400	0,73
SUCT 208	40	140,0	34,5	16	85	114	102	M16	40	80	49,2	19,0	29,51	18,14	2.200	0,96
SUCT 209	45	149,0	40,0	16	90	116	102	M20	50	85	49,2	19,0	31,85	20,80	1.900	1,14
SUCT 210	50	149,0	40,0	16	90	116	102	M20	50	85	51,6	19,0	34,99	23,70	1.800	1,17
SUCT 211	55	171,0	42,0	22	106	146	130	M20	64	95	55,6	22,0	43,34	29,39	1.600	1,98
SUCT 212	60	194,0	42,0	22	119	146	130	M20	64	102	65,1	25,0	47,68	33,43	1.500	2,45





SUCFL SERİSİ

RULMAN NO	BOYUTLAR (mm)											YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	J	A2	A1	A	N	L	B	S	Z	Dinamik	Statik			
SUCFL 201	12	113	90,0	15,0	14	26,1	11	65	31,0	12,1	33,7	12,82	6,65	4.000	M10	0,25
SUCFL 202	15	113	90,0	15,0	14	26,1	11	65	31,0	12,1	33,7	12,82	6,65	4.000	M10	0,25
SUCFL 203	17	113	90,0	15,0	14	26,1	11	65	31,0	12,1	33,7	12,82	6,65	4.000	M10	0,25
SUCFL 204	20	113	90,0	15,0	14	26,1	11	65	31,0	12,1	33,7	12,82	6,65	4.000	M10	0,25
SUCFL 205	25	131	99,0	17,0	14	29,0	11	69	34,1	14,0	36,7	14,03	8,05	3.400	M10	0,32
SUCFL 206	30	148	117,0	19,0	14	31,0	11	80	38,1	15,1	41,2	19,47	11,43	2.800	M10	0,50
SUCFL 207	35	166	130,0	18,0	16	32,0	13	92	42,9	17,1	43,4	25,69	15,55	2.400	M12	0,70
SUCFL 208	40	176	144,0	21,1	20	37,5	14	101	49,2	19,0	51,7	29,51	18,14	2.200	M12	0,89
SUCFL 209	45	189	148,5	24,0	21	41,0	17	108	49,2	19,0	54,2	31,85	20,80	1.900	M16	1,01
SUCFL 210	50	197	157,0	25,0	21	43,0	17	116	51,6	19,0	57,6	34,99	23,70	1.800	M16	1,13
SUCFL 211	55	224	184,0	25,0	20	43,0	17	130	55,6	22,0	58,1	43,34	29,39	1.600	M16	1,50
SUCFL 212	60	250	202,0	29,0	20	48,0	18	140	65,1	25,0	68,7	47,68	33,43	1.500	M16	2,10



SUCFC SERİSİ

RULMAN NO	BOYUTLAR (mm)													YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	a	p	i	l	s	t	R	g	f	z	Bi	n	Dinamik	Statik			
SUCFC 202	15	100	78	10	25,5	12	5	7	20,5	62	28,3	31,0	12,7	10,90	5,30	4.000	M10	0,39
SUCFC 203	17	100	78	10	25,5	12	5	7	20,5	62	28,3	31,0	12,7	10,90	5,30	4.000	M10	0,39
SUCFC 204	20	100	78	10	25,5	12	5	7	20,5	62	28,3	31,0	12,7	10,90	5,30	4.000	M10	0,39
SUCFC 205	25	115	90	10	27,0	12	6	7	21,0	70	29,8	34,1	14,3	11,90	8,30	3.400	M10	0,47
SUCFC 206	30	125	100	10	31,0	12	8	8	23,0	80	32,2	38,1	15,9	16,70	9,05	2.800	M10	0,70
SUCFC 207	35	135	110	11	34,0	14	8	9	26,0	90	36,4	42,9	17,5	22,00	12,30	2.400	M12	0,85
SUCFC 208	40	145	120	11	36,0	14	10	9	26,0	100	41,2	49,2	19,0	24,90	14,31	2.200	M12	1,00
SUCFC 209	45	160	132	10	38,0	16	12	10	26,0	105	40,2	49,2	19,0	28,10	16,40	1.900	M14	1,40
SUCFC 210	50	165	138	10	40,0	16	12	14	28,0	110	42,6	51,6	19,0	30,20	18,60	1.800	M14	1,50
SUCFC 211	55	185	150	13	42,0	19	12	15	31,0	125	46,4	55,6	22,2	34,00	25,50	1.600	M16	2,00
SUCFC 212	60	195	160	17	48,0	19	12	15	36,0	135	56,7	65,1	25,4	41,00	31,50	1.500	M16	2,35



SUCPA SERİSİ

RULMAN NO	BOYUTLAR (mm)										YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	L	J	A	Ho	G	H1	B	S	Dinamik	Statik			
SUCPA 201	12	33,3	76	52	38	64	10	13	31,0	12,1	12,82	6,65	4.000	M8	0,26
SUCPA 202	15	33,3	76	52	38	64	10	13	31,0	12,1	12,82	6,65	4.000	M8	0,26
SUCPA 203	17	33,3	76	52	38	64	10	13	31,0	12,1	12,82	6,65	4.000	M8	0,26
SUCPA 204	20	33,3	76	52	38	64	10	13	31,0	12,1	12,82	6,65	4.000	M8	0,26
SUCPA 205	25	36,5	84	56	38	72	12	14	34,1	14,3	14,03	8,05	3.400	M10	0,32
SUCPA 206	30	42,9	95	66	48	84	12	16	38,1	15,1	19,47	11,43	2.800	M10	0,53
SUCPA 207	35	47,6	110	80	48	95	12	18	42,9	17,1	25,69	15,55	2.400	M10	0,73
SUCPA 208	40	49,2	116	84	54	100	15	18	49,2	19,0	29,51	18,14	2.200	M12	0,93
SUCPA 209	45	54,2	120	90	54	108	15	20	49,2	19,0	31,85	20,80	1.900	M12	1,06
SUCPA 210	50	57,2	130	94	60	116	18	21	51,6	19,0	34,99	23,70	1.800	M16	1,25