










SUC SERİSİ

RULMAN NO	BOYUTLAR (mm)								YÜK SAYISI (kN)		DEVİR HIZ SINIRI (Devir/Dk.)	AĞIRLIK (Kg)
	d	D	B	C	S	S1	G	CA	Dinamik	Statik		
SUC 201	12	47	31,0	17	12,7	18,3	5,0	4,3	12,82	6,65	4.000	0,21
SUC 202	15	47	31,0	17	12,7	18,3	5,0	4,3	12,82	6,65	4.000	0,19
SUC 203	17	47	31,0	17	12,7	18,3	5,0	4,3	12,82	6,65	4.000	0,18
SUC 204	20	47	31,0	17	12,7	18,3	5,0	4,3	12,82	6,65	4.000	0,16
SUC 205	25	52	34,1	17	14,3	19,8	5,4	4,2	14,03	8,05	3.400	0,18
SUC 206	30	62	38,1	19	15,9	22,2	5,5	5,3	19,47	11,43	2.800	0,33
SUC 207	35	72	42,9	20	17,5	25,4	6,9	5,8	25,69	15,55	2.400	0,49
SUC 208	40	80	49,2	21	19,0	30,2	8,0	6,2	29,51	18,14	2.200	0,65
SUC 209	45	85	49,2	22	19,0	30,2	8,0	6,5	31,85	20,80	1.900	0,71
SUC 210	50	90	51,6	24	19,0	32,6	10,0	7,0	34,99	23,70	1.800	0,80
SUC 211	55	100	55,6	25	22,2	33,4	10,0	7,4	43,34	29,39	1.600	1,08
SUC 212	60	110	65,1	27	25,4	39,7	10,0	7,6	47,68	33,43	1.500	1,51





S SUCP SERİSİ

RULMAN NO	BOYUTLAR (mm)											YÜK SAYISI (kN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	L	J	A	N	N1	H1	Ho	B	S	Dinamik	Statik			
S SUCP 204	20	33,3	127	95	38	13	19	15,0	64	31,0	12,1	12,82	6,65	4.000	M10	0,79
S SUCP 205	25	36,5	140	105	38	13	19	16,1	70	34,1	14,0	14,03	8,05	3.400	M10	0,95
S SUCP 206	30	42,9	165	121	48	17	21	18,0	82	38,1	15,1	19,47	11,43	2.800	M12	1,49
S SUCP 207	35	47,6	167	127	48	17	21	19,0	92	42,9	17,1	25,69	15,55	2.400	M12	1,93
S SUCP 208	40	49,2	184	137	54	17	22	19,0	99	49,2	19,0	29,51	18,14	2.200	M12	2,26
S SUCP 209	45	54,0	190	146	54	17	22	20,0	108	49,2	19,0	31,85	20,80	1.900	M12	2,76
S SUCP 210	50	57,2	206	159	60	20	25	22,0	112	51,6	19,0	34,99	23,70	1.800	M16	3,31
S SUCP 211	55	63,5	219	171	60	20	25	23,0	124	55,6	22,0	43,34	29,39	1.600	M16	3,98
S SUCP 212	60	69,9	238	184	70	20	25	25,0	137	65,1	25,0	47,68	33,43	1.500	M16	5,42





S SUCF SERİSİ

RULMAN NO	BOYUTLAR (mm)										YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	L	J	A2	A1	A	N	Z	B	S	Dinamik	Statik			
S SUCF 204	20	86	64	15	11	25,1	12	33,3	31,0	12,1	12,82	6,65	4.000	M10	0,71
S SUCF 205	25	95	70	16	13	28,0	12	35,8	34,1	14,0	14,03	8,05	3.400	M10	0,97
S SUCF 206	30	108	83	18	13	31,0	12	40,2	38,1	15,1	19,47	11,43	2.800	M10	1,41
S SUCF 207	35	117	92	19	15	34,0	14	44,4	42,9	17,1	25,69	15,55	2.400	M12	1,86
S SUCF 208	40	130	102	21	15	36,0	16	51,2	49,2	19,0	29,51	18,14	2.200	M14	2,30
S SUCF 209	45	137	105	22	16	38,0	16	52,2	49,2	19,0	31,85	20,80	1.900	M14	2,71
S SUCF 210	50	143	111	22	16	40,0	16	54,6	51,6	19,0	34,99	23,70	1.800	M14	2,93
S SUCF 211	55	162	130	25	18	43,0	19	58,4	55,6	22,0	43,34	29,39	1.600	M16	4,13
S SUCF 212	60	175	143	29	18	48,0	19	68,7	65,1	25,0	47,68	33,43	1.500	M16	5,51




S SUCT SERİSİ

RULMAN NO	BOYUTLAR (mm)																YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	N1	L2	H2	N2	N	L3	A1	H1	H	L	A	A2	L1	B	S	Dinamik	Statik			
S SUCT 204	20	16	10	51	32	19	51	12	76	89	94	32	21	61	31,0	12,1	12,82	6,65	4.000	M10	0,79
S SUCT 205	25	16	10	51	32	19	51	12	76	89	97	32	24	62	34,1	14,0	14,03	8,05	3.400	M14	0,84
S SUCT 206	30	16	10	56	37	22	57	12	89	102	113	37	28	70	38,1	15,1	19,47	11,43	2.800	M14	1,32
S SUCT 207	35	16	13	64	37	22	64	12	89	102	129	37	30	78	42,9	17,1	25,69	15,55	2.400	M14	1,72
S SUCT 208	40	19	16	83	49	29	83	16	102	113	144	49	33	88	49,2	19,0	29,51	18,14	2.200	M14	2,52
S SUCT 209	45	19	16	83	49	29	83	16	102	117	144	49	35	87	49,2	19,0	31,85	20,80	1.900	M16	2,52
S SUCT 210	50	19	16	83	49	29	86	16	102	117	149	49	37	90	51,6	19,0	34,99	23,70	1.800	M16	2,69
S SUCT 211	55	25	19	102	64	35	95	22	130	146	171	64	38	106	55,6	22,0	43,34	29,39	1.600	M16	4,04
S SUCT 212	60	32	19	102	64	35	102	22	130	146	194	64	42	119	65,1	25,0	47,68	33,43	1.500	M16	5,00



S SUCFL SERİSİ

RULMAN NO	BOYUTLAR (mm)											YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	H	J	A2	A1	A	N	L	Z	B	S	Dinamik	Statik			
S SUCFL 204	20	113	90	15	11	27	12,0	60	33,3	31,0	12,1	12,82	6,65	4.000	M10	0,50
S SUCFL 205	25	130	99	16	13	28	12,1	68	35,8	34,1	14,0	14,03	8,05	3.400	M14	0,71
S SUCFL 206	30	148	117	18	13	31	12,1	79	40,2	38,1	15,1	19,47	11,43	2.800	M14	1,04
S SUCFL 207	35	161	130	19	14	34	14,0	90	44,4	42,9	17,1	25,69	15,55	2.400	M14	1,38
S SUCFL 208	40	175	144	21	15	36	14,0	100	51,2	49,2	19,0	29,51	18,14	2.200	M14	1,73
S SUCFL 209	45	187	148	22	16	38	16,0	108	52,2	49,2	19,0	31,85	20,80	1.900	M16	2,07
S SUCFL 210	50	195	157	22	16	40	16,0	115	54,6	51,6	19,0	34,99	23,70	1.800	M16	2,47
S SUCFL 211	55	224	184	25	18	43	19,0	130	58,1	55,6	22,2	43,34	29,39	1.600	M16	3,10
S SUCFL 212	60	250	202	29	18	48	23,0	140	68,7	65,1	25,4	47,68	33,43	1.500	M16	4,19



S SUCFC SERİSİ

RULMAN NO	BOYUTLAR (mm)													YÜK SAYISI (KN)		DEVİR HIZ SINIRI (Devir/Dk.)	CIVATA ÖLÇÜSÜ	AĞIRLIK (Kg)
	d	D2	P	J	A2	N	L	H1	A1	D1	B	S	Z	Dinamik	Statik			
S SUCFC 204	20	100	78	55,1	10	12	5	7	21	62	31,0	12,7	28,3	12,82	6,65	4.000	M10	0,77
S SUCFC 205	25	115	90	63,6	10	12	6	7	21	70	34,1	14,3	29,7	14,03	8,05	3.400	M10	1,13
S SUCFC 206	30	125	100	70,7	10	12	8	8	23	80	38,1	15,9	32,2	19,47	11,43	2.800	M10	1,47
S SUCFC 207	35	135	110	77,8	11	14	8	9	26	90	42,9	17,5	36,4	25,69	15,55	2.400	M12	1,86
S SUCFC 208	40	145	120	84,8	11	14	10	9	26	100	49,2	19,0	41,2	29,51	18,14	2.200	M12	2,17
S SUCFC 209	45	160	132	93,3	10	16	12	10	26	105	49,2	19,0	40,2	31,85	20,80	1.900	M14	2,50
S SUCFC 210	50	165	138	97,6	10	16	12	14	28	110	51,6	19,0	42,6	34,99	23,70	1.800	M14	2,95
S SUCFC 211	55	185	150	106,1	13	19	12	13	30	125	55,6	22,2	46,4	43,34	29,39	1.600	M16	4,00
S SUCFC 212	60	195	160	113,1	17	19	12	15	35	135	65,1	25,4	56,7	47,68	33,43	1.500	M16	4,90